




**Features & Benefits  
of FAKRO Premium Attic Ladders**

**FAKRO®**

## LWB

BASIC INSULATED



Weather seal gasket to reduce heat loss.

Equipped with a handrail which assists in climbing up and down the ladder.

Paintable door

## LMB

BASIC INSULATED



Weather seal gasket to reduce heat loss.

Paintable door

The use of the metal ladder with special hinge structure guarantees high durability.

### Common features:

- basic insulated wooden attic ladders
- handrail included
- universal fit 7'10" - 10'1"
- weather seal gasket
- non-slip steps
- fully assembled for easy installation
- springs mounted into the door for wider entry clearance
- 1 year warranty

**3.7**  
R-value



### LWB

- basic insulated wooden attic ladders
- handrail included


### LMB

- basic insulated metal attic ladders
- handrail, plastic ends and control rod included
- system of adjusting the ladder length to the ceiling height after cutting (up to 1 1/2")

**3.7**  
R-value



## LWF-R NON-INSULATED




Springs mounted into the door for wider entry clearance

Handrail included

Fire-retardant non-insulated door ready for paint

## LWF-R INSULATED



Springs mounted into the door for wider entry clearance

Handrail included

Fire-retardant insulated door ready for paint

### Common features:

- universal fit 7'11" – 10'1"
- non-slip steps
- handrail and control rod included
- springs mounted into the door for wider entry clearance
- fully assembled for easy installation
- 1 year warranty

**9.5**  
R-value



### LWF-R NON-INSULATED

- fire-retardant non-insulated door ready for paint


### LWF-R INSULATED

- fire-retardant insulated door ready for paint

**5.2**  
R-value




## LST INSULATED



Wooden box with metal trim and quick installation brackets included.



Adjustment of ladder length.



Adjustable length by adding or removing a step.


## LMP 12' INSULATED




Last step placed high in the box ensures a comfortable entrance to the attic.



The use of special blocks secure ladder segments to prevent accidental folding.



Ladder intended for installation in high ceilings.



Safe use and unfolding of the ladder thanks to a brake mechanism incorporated into the handrail.

### Common features:

- weather seal gasket
- insulated door with white finish
- non-slip steps
- fully assembled for easy installation
- system of adjusting the ladder length to the ceiling height after cutting (up to 1 1/2")
- added home value



### LMP

- intended for installation in high ceilings
- control rod included
- hydraulic system for safer use

### LST


- metal scissor attic ladders
- trim kit and control rod included
- bottom plastic wheels to protect the floors surface
- universal fit 7;6" - 10'10" (by removing or adding a step)





## LMF 60

FIRE-RATED



## LTK

ENERGY



### Common features:

- non-slip steps
- plastic ends
- handrail included
- springs mounted into the door for wider entry clearance
- fully assembled for easy installation
- 2 year warranty

### LMF 60

- fire-resistant insulated door with white finish
- available for installation in high ceilings

### LTK

- super thermo insulated door ready for paint
- 2 weather seal gaskets

8.9  
R-value



10  
R-value






# BENEFITS

for all FAKRO attic ladders

- Universal fit 7'10" – 10'3"
- Available 13 models including thermo-insulated, fire-rated, and scissor type
- 350 – 375 lbs weight capacity
- Springs mounted into the door for wider entry clearance
- Superior quality, affordable, energy-efficient, insulated
- Exact fit and/or retro fit
- Full range of accessories: upper hatch, balustrade, installation brackets
- Fully assembled for easy installation
- Technical support
- Installation videos for each model available online
- 1-2 year warranty



Wider entry clearance /  
Springs mounted to the sides of the ladder



Moving steps away from the hatch makes it possible to place one's foot comfortably on the tread



Dimensions are designed for better comfort and safety

 **FAKRO**<sup>®</sup>



**FAKRO AMERICA LLC**  
39 West Factory Road  
Addison, IL 60101  
tel: (630) 543-1010  
fax: (630) 543-1011  
www.fakrousa.com  
e-mail: sales@fakrousa.com