


Photos © 2022 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All rights reserved.

table of contents

<u>Decking</u>	8
Green By Design	18
<u>Railing</u>	20
Digital Tools & Trex Academy	26
Shop Trex Extras	28
Specifications	32





WHY TREX?

OUTPERFORMS WOOD

- ✓ Won't warp, rot or splinter.
- Easy soap & water cleanup.
- ✓ No sanding, no staining, no kidding.

GREEN, BY DESIGN

- Sustainably made of 95% reclaimed wood and recycled plastic in the USA.
- Diverted more than 431 million pounds of plastic film from landfills and waterways in 2021 alone.

ANY STYLE, ANY BUDGET

Products that fit every home and every homeowner's price point.

ENDLESS POSSIBILITIES

A full suite of beautiful, functional finishing touches such as lighting, railing, furniture and more.

SEE THE TREX ADVANTAGE >



nature-inspired & naturewithstanding

COLORS


Choose from 24 hues that weather Mother Nature and outlast Father Time.




























A RULE OF THUMB: THE LIGHTER THE COLOR, THE COOLER* THE FEEL

Please note that the darker the color, the hotter the deck will feel. For hotter climates, consumers should consider choosing a lighter color.

*Although Trex Transcend Lineage is designed to be cooler than most other composite decking products of a similar color, on a hot sunny day, it will get hot. On hot days, care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.







featuring: Transcend Lineage in Rainier




featuring: Transcend Lineage in Jasper

FOUR

TRANQUIL, ON-TREND COLORS

COLLECTION >






featuring: Transcend Lineage in Biscayne



DESIGNED WITH HEATMITIGATING TECHNOLOGY FOR OUR COOLEST* DECKING YET

*Although Trex Transcend Lineage is designed to be cooler than most other composite decking products of a similar color, on a hot sunny day, it will get hot. On hot days, care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.







We wanted something that was sustainable and known for long-lasting beauty. We ultimately decided on Rope Swing.

LIZ MARIE, SHOP OWNER


of The Found Cottage, author of Cozy White Cottage

COMES IN EIGHT MULTI-TONAL & MONOCHROMATIC COLORS





TRANSCEND DECKING COLLECTION >





featuring: Select in Pebble Grey



featuring: Select in Saddle

COMES IN

NATURE-INSPIRED COLORS

SELECT DECKING
COLLECTION

	40	10 mm	
Pebble Grey			
repole Gley			
Winchester Grey			
	The state of the s	5	
Saddle			
		77	
Woodland Brown			
F. F. F.			
Madeira			




I used Select decking because I wanted a very solid and durable feel. I notice the neighbors passing by glancing at it—makes me proud.

ED P., DIYer

owner of a historic 100-year-old craftsman bungalow

SEE ED'S STORY >








My family and I enjoy spending our weekend evenings on the deck. It's a great space to take in the sunset, listen to music, and relax after a long week.

ASHLEY, HOMEOWNER

on the space she built with Charlee of Build & Create Home


SEE ASHLEY'S STORY >

COMES IN SEVEN CLASSIC COLORS



S	Clam Shell	FE	A Company	J6 X 3
<u> </u>				
BAS	Beach Dune			
	Saddle			

ENHANCE DECKING COLLECTION >



Trex Transcend® LINEAGE™

The next generation of design and performance.













Trex Transcend® TROPICALS

Elevated aesthetics paired with the highest level of performance.














Trex Transcend[®]

EARTH TONES

A classic look for uncompromising homes.











TrexSelect®

EARTH TONES

The perfect pairing of price and minimal maintenance.











Trex Enhance

The beauty of wood with the ease of composite.

NATURALS














Trex Enhance

BASICS

Priced to put the pressure on treated lumber.









Clam Shell





Compare pricing, colors, maintenance costs and durability.


DECKING COMPARISON TOOL >











BUILT ON SUSTAINABILITY







RECYCLED PLASTIC FILM





A SUSTAINABLE SUPPLY CHAIN






BUILDING A BETTER TOMORROW

GREEN by design

At Trex, we understand the importance of protecting our planet. To us, everyday is Earth Day as we commit ourselves to designing sustainably, operating responsibly, empowering our people and building stronger communities, together.

OUR COMMITMENT TO A GREENER PLANET

HEAR FROM
HGTV'S ALISON
VICTORIA
ABOUT TREX
SUSTAINABILITY





OFF-THE-SHELF EASE

Our one-box kit solution includes top and bottom rails, your preferred infill and all necessary hardware for a single section of railing. Available in our most popular colors, kits cut down on the number of steps in your selection and ordering processes.

Post sleeve, cap and skirt sold separately.

THE ANATOMY OF RAILING

COCKTAIL RAIL (OPTIONAL)

INFILL KIT
Hardware matched to your

infill style and rail color.

There are several key components of a railing section that help you lean into the view.

RAILS

VIEW RAILING COLLECTIONS >

INFILL PANEL

Individual columns or full expanses maintain space and safety.

Accessory Top and bottom rails provide stability and structure. POSTS Vertical poles can be outfitted with caps and skirts. BALUSTERS OR


MIX & MATCH


Love a baluster
in one style and a
post in another?
Want to combine
different colors?
You can customize
your railing to fit
your perfect vision.



Prefer a unique configuration?

FIND A TREXPRO® CONTRACTOR →





WE START WITH STRONG, SLEEK AND ELEGANT RAILS

Then powder-coat them for a rich, tactile feel in a variety of natural colors. As for the style? That's up to you, with four unique infills to complement any design aesthetic.





Classic White Bronze

OTHER: infill panels


Stainless Steel Mesh Glass

TREX SIGNATURE® MESH RAILING

Crosshatching adds an industrial feel to any space.

TREX SIGNATURE® ROD RAIL

Pairs a sleek profile with modern design.





TREX SIGNATURE®
ALUMINUM RAILING

Offers stunning lines and a contemporary feel.

TREX SIGNATURE® GLASS RAILING

Ensures sweeping views with transparent panels.





TIMELESS **DESIGN YOU** CAN TRUST-AND TAILOR

As strong and sturdy as its namesake decking, Trex Transcend puts every color combination within reach. Style your own, or eliminate the guesswork with pre-designed kits.



THE SIMPLE CHOICE FOR YOUR BACKYARD

Crisp, safe and effective, Trex Select railing streamlines the design process by combining composite rails in Classic White and round aluminum balusters in Charcoal Black.



Charcoal

Classic

TRANSCEND RAILING COLLECTION >

SELECT RAILING COLLECTION >

TREX PLANNING TOOLS

PLANNING MADE SIMPLE

Long before you break out the drill, plan your deck with these easy-to-use online tools, from simple comparisons and overviews to detailed plans and shopping lists.

EXPLORE OUR DIGITAL TOOLS >







COST CALCULATOR >



DECK STARTER >




DECK
DESIGNER >



<u>AR</u> VISUALIZER →

BRING YOUR VISION TO LIFE

Our Deck Designer tool helps you handpick every element of your deck and preview it in 3D.



SEE IT IN YOUR SPACE

Bring your new deck to life in your backyard space with the Trex Decking and Railing AR Visualizer App.

DOWNLOAD IT ON MOBILE >



Winner of a Green Builder's 2022 Sustainable Product of the Year award in the "Smart Tech" category

- white the Plan your layout carefully...and you will create a deck that will last eons! - SHANNON VOS, owner of Vos Creative Design **SEE SHANNON'S STORY** •

TREX® ACADEMY™

READY TO ROLL UP YOUR SLEEVES?

If you can dream it, you can build it with Trex Academy. With answers to your most common questions, pro tips, how-to guides and more, we're here to help you at every step of your build.

LEARN MORE AT TREX ACADEMY

HOW-TO GUIDES

From breaking ground to building, explore our step-by-step guides for every phase.

START BUILDING >



WRAP THE HOUSE

THE GO-TO TOUCHES

All the products to complete and complement your space.













Trex Cladding

Add instant curb appeal with this contemporary, highperformance exterior. We're talking minimal maintenance with maximum beauty.

CLADDING >

Trex Hideaway®

These self-gapping, glass-filled nylon hidden fasteners are used with our grooved-edge boards for a screw-free finish.

HIDDEN FASTENERS >

Trex Fascia

Achieve beauty at every angle with a fascia color to match every decking color (plus: Universal White for a crisp finish).

FASCIA >

Trex®RainEscape®

Our underdeck drainage system keeps drips from the patio below. And you can shield your deck from moisture with Trex® Protect™, a non-skid, self-adhesive flashing tape.

RAINESCAPE >

Trex Outdoor Lighting

Our LED lighting integrates into all our decking and railing, taking the outdoors from invisible to inviting.

OUTDOOR LIGHTING >

Trex Fencing

Our composite fencing will add to your outdoor experience with its beautiful colors, engineered artistry and quality.

FENCING •

For the terms of warranties on Trex® OutdoorLighting™, see page 50 or visit trex.com. Cree® is a registered trademark of Cree, Inc.

THE WOW TOUCHES

All the products to make your space feel even more you.













Trex: Outdoor Furniture

A premium version of leavethem-outside tables, chairs, benches, swings and more.

Trex Pergola

A shady, sturdy retreat that's virtually upkeep-free. Talk about a room with a view.

Trex Outdoor Kitchens

Bring the joy of cooking outside (and your guests will follow).

Trex Lattice

The most classic (and durable) way to add privacy, utility and dimension deckside.

Trex Cornhole

Regulation size and surfaced, you can leave the set (and the bags) out all year long.

Trex Spiral Stairs™

Take your deck to the next level (literally) and add some wow with stairs that are sure to turn heads.

OUTDOOR FURNITURE >

PERGOLA >

OUTDOOR KITCHENS >

LATTICE >

CORNHOLE >

SPIRAL STAIRS >

Trex® Outdoor Kitchens™ is manufactured and sold by CT Acquisitions LLC., under a Trademark License Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer

PRODUCT SPECIFICATIONS

Trex Decking & Fascia

PROFILE	D	ESCRIPTION	ITEM #	COLORS
	1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage	XX010616TLS01 XX010620TLS01	RN, CL, BC, JA
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals	XX010612TS01 XX010616TS01 XX010620TS01	IM, TT, HG, SR, LR
1" Square-Edge Board Actual dimensions:	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones	XX010612T2S01 XX010616T2S01 XX010620T2S01	GP, RS, VL
Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft 24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft 20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, WG, SD, WB, N
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals	XX010612E2S01 XX010616E2S01 XX010620E2S01	FW, RH, TS, CB
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics	XX010612E2S01 XX010616E2S01 XX010620E2S01	CS, BD, SD
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Lineage	XX010612TLG01 XX010616TLG01 XX010620TLG01	RN, CL, BC, JA
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
" Grooved-Edge Board ctual dimensions: ranscend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, VL
Transcend & Ennance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB,
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals	XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
" x 8" Fascia Board	1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Transcend Lineage Transcend Tropicals Transcend Earth Tones	XX010812TLS01 XX010812TS01 XX010812T2S01	RN, CL, BC, JA IM, TT, HG, SR, LR GP, RS, VL
ctual dimensions:	1 x 8 x 12'	Select	XX010812SS01	PG, WG, SD, WB,
ranscend, Enhance, Select, Universal White: 66 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' 1 x 8 x 12'	Enhance Naturals Enhance Basics	XX010812E2S01 XX010812E2S01	FW, RH, TS, CB CS, BD, SD
	1 x 8 x 12'	Universal White	WW010812ES01	WW
" x 12" Fascia Board	1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12'	Transcend Lineage Transcend Tropicals Transcend Earth Tones	XX011212TLS01 XX011212TS01 XX011212T2S01	RN, CL, BC, JA IM, TT, HG, SR, LR GP, RS, VL
ctual dimensions:	1 x 12 x 12'	Select	XX011212SS01	PG, WG, SD, WB,
Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' 1 x 12 x 12'	Enhance Naturals Enhance Basics	XX011212E2S01 XX011212E2S01	FW, RH, TS, CB CS, BD, SD
	1 x 12 x 12'	Universal White	WW011212ES01	WW
NI Causaya Edga Baaya	2 x 4 x 16'	Transcend Tropicals	XX020416TS01	IM, TT, HG, SR, LR
L'' Square-Edge Board ctual dimensions: ranscend 2x4: 1.3 in x 3.4 in x 16 ft 13 mm x 86 mm x 487 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals	XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
33 mm x 86 mm x 487 cm) iranscend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft 33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select	XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB

XX = COLOR PREFIX

RN Rainier CL Carmel BC Biscayne JA Jasper

IM Island Mist GP Gravel Path RS Rope Swing TT Tiki Torch HG Havana Gold VL Vintage Lantern

SR Spiced Rum

LR Lava Rock

PG Pebble Grey WG Winchester Grey SD Saddle

WB Woodland Brown

MB Madeira

FW Foggy Wharf RH Rocky Harbor TS Toasted Sand

CB Coastal Bluff


CS Clam Shell BD Beach Dune

SD Saddle WW Wood Grain White

TREX RAILING—three lines, endless possibilities

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's components.





Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

CTED	COMPONENT		BECORIBEION	ITEM #
STEP	COMPONENT		DESCRIPTION	ITEM #
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS
	Dimensions are nominals. See below for actuals and metrics. [4.45 in \times 4.45 in \times 4.0 in (113 mm \times 113 mm \times 101 cm) external dimensions] [4.45 in \times 4.45 in \times 108 in (113 mm \times 113 mm \times 274 cm) external dimensions] [5.5 in \times 5.5 in \times 39 in (139 mm \times 139 mm \times 990 mm) external dimensions] [5.5 in \times 5.5 in \times 108 in (139 mm \times 139 mm \times 274 cm) external dimensions]		6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	WT060639APS WT0606108APS
(2a)	Post Sleeve Cap Also available with LED lighting. Dimensions are nominals. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6
2 b	Post Sleeve Skirt Dimensions are nominals. See below for actuals and metrics. [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6
ACCESSORIES	COMPONENT		DESCRIPTION	ITEM #
	Surface Mount Post	E	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36
	For use with 4x4 composite post sleeve. Actual external dimensions of insert:	- 1	Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)	ALPOSTMOUNT42
	3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Ū	Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
	Joist Mount Post For use with 4x4 composite post sleeve. Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	Į	Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CPJMNTPOST63

XX = COLOR PREFIX

WT Classic White GP Gravel Path BK Charcoal Black

RS Rope Swing

TH Tree House VL Vintage Lantern

Trex Signature® Railing

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

2.5" x 2.5" x 43" End Post with Premounted Brackets

Comes with cap and skirt.

2.5" x 2.5" x 43" Corner Post with Premounted Brackets BKAL252543RCAPCNR

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	Aluminum Posts Can only be used within the Trex Signature line. Trex Signature	ure aluminum posts fulfill steps	1 & 2. If using composite post sleeves, refer to previous page.	
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal 2.5" x 2.5" x 53" Aluminum Post—Stair Comes with cap and skirt.	XXAL252537RCAP XXAL252543RCAP XXAL252553RCAP	IRC Aluminum Mounting Plate & Hardware For use with all Trex 2.5" Surface Mount Aluminum Posts. Concrete Post Mount Kit	ALPOSTHWDECK ALPOSTHWCONC
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal Comes with skirt.	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post Comes with cap and skirt. Trex Signature Fascia Mount Kit - wood framing For use with Joist Mount Trex Signature Railing Post only.	XXJMNTPOST63 XXFMNTWOOD
	2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE	Dimensions are nominals. See below for actuals and metrics. [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions]	

[2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions]

[2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]

Does not include hardware. Assembled Panels available in BK.

BKAL252543RCAPEND

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #				
3	Rail & Baluster Kit							
	(includes top rail, bottom rail, balusters and mounting and support hardware) Available in WT, BZ, and BK.							
	6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	BKAR0636HRK BKAR0636SRK BKAR0836HRK BKAR0836SRK	6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642HRK XXAS0642SRK XXAS0842HRK XXAS0842SRK				
	6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair	BKAR0642HRK BKAR0642SRK BKAR0842HRK BKAR0842SRK	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal	BKAS0436HRPNL BKAS0636HRPNL BKAS0636SRPNL BKAS0836HRPNL				
	6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	8' x 36" Assembled Panel (Square)—Stair 4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair	BKAS0836SRPNL BKAS0442HRPNL BKAS0642HRPNL BKAS0642SRPNL BKAS0842HRPNL BKAS0842SRPNL				



Rod Rail Kit			
(includes top rail, bottom rail, rods and mounting and support ha	rdware)		
6' x 36" Black Rails & Platinum Rods Kit—Horizontal 6' x 36" Black Rails & Platinum Rods Kit—Stair 8' x 36" Black Rails & Platinum Rods Kit—Horizontal 8' x 36" Black Rails & Platinum Rods Kit—Stair	BKPLROD0636HRK BKPLROD0636SRK BKPLROD0836HRK BKPLROD0836SRK	6' x 42" Black Rails & Black Rods Kit—Horizontal 6' x 42" Black Rails & Black Rods Kit—Stair 8' x 42" Black Rails & Black Rods Kit—Horizontal 8' x 42" Black Rails & Black Rods Kit—Stair	BKBKROD0642HRK BKBKROD0642SRK BKBKROD0842HRK BKBKROD0842SRK
6' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 36" Bronze Rails & Platinum Rods Kit—Stair 8' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 36" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0636HRK BZPLROD0636SRK BZPLROD0836HRK BZPLROD0836SRK	36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair Use as an accessory for cut rod rail sections. Available in BK and PL.	XX36RODHVERTK XX36RODSVERTK XX42RODHVERTK XX42RODSVERTK
6' x 36" Black Rails & Black Rods Kit—Horizontal 6' x 36" Black Rails & Black Rods Kit—Stair 8' x 36" Black Rails & Black Rods Kit—Horizontal 8' x 36" Black Rails & Black Rods Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	Dimensions are nominals. See below for actuals and metrics. [4' \times 36": 48 in \times 36 in (122 cm \times 914 mm) actual dimensions] [4' \times 42": 48 in \times 42 in (122 cm \times 106cm) actual dimensions] [6' \times 36": 72 in \times 36 in (182 cm \times 914 mm) actual dimensions] [8' \times 36": 96 in \times 36 in (243 cm \times 914 mm) actual dimensions] [6' \times 42": 72 in \times 42 in (182 cm \times 106 cm) actual dimensions] [8' \times 42": 96 in \times 42 in (243 cm \times 106 cm) actual dimensions]	
6' x 42" Black Rails & Platinum Rods Kit—Horizontal 6' x 42" Black Rails & Platinum Rods Kit—Stair 8' x 42" Black Rails & Platinum Rods Kit—Horizontal 8' x 42" Black Rails & Platinum Rods Kit—Stair	BKPLROD0642HRK BKPLROD0642SRK BKPLROD0842HRK BKPLROD0842SRK		
6' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 42" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0642HRK BZPLROD0642SRK		

BZPLROD0842HRK

BZPLROD0842SRK



WT Classic White BZ Bronze BK Charcoal Black PL Platinum

8' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 42" Bronze Rails & Platinum Rods Kit—Stair



3

Mesh Rail Kit

(includes top rail, bottom rail, foot block, verticals, anti-rattle gaskets, hardware and bracket pack) Available in BK and BZ. Mesh infill sold separately.





Glass Rail Kit

(includes top rail, bottom rail, foot block, verticals, hardware and bracket pack)

Available in BK and WT. Glass infill sold separately. Visit **glass.trex.com** to order custom glass panels to complete your build



6' Glass Railing Kit—Horizontal

Dimension above is nominal. See below for actual and metric. [6': 72 in (182 cm) actual dimension]

XXA06HGLRK

4

Mesh Panel

(includes stainless steel mesh panel)
For use with Trex Signature Mesh Rail Kit.



6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal 316 Stainless Steel Mesh Panel—Stair

SSMESH0636HZ SSMESH0836HZ SSMESH0842HZ SSMESHUNIVST

Dimensions are nominals. See below for actuals and metrics.

[6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions]

[8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions]

[8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions]

[8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal 316: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]



Glass Panel

For use with Trex Signature Glass Rail Kit. Visit **glass.trex.com** to order custom glass panels to complete your build. for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Signature Bracket Template—Horizontal (36" and 42") - Composite Sleeve Signature Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMP4X4SLEEVE SIGTEMPIRCPOST	Cocktail Rail Bracket (10/pack) Tabless Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom) Swivel Bracket—Stair (2/pack—1 top, 1 bottom) 2.5" Crossover Bracket—Horizontal (1/pack) 90° Crossover Bracket—Horizontal (1/pack) 2.5" Swivel Crossover Bracket—Stair (1/pack) Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCTBKTAL10PK XXFHBKTALPNL XXFSBKTAL XXSWHBKTAL XXSWSBKTAL XX25FHCBKTAL XX90FHCBKTAL XX25RCSWSCBKTAL XXCPDSWBKTAL
.0	Aluminum Foot Block Extended Aluminum Foot Block	XXALFTBLK XXAL08FTBLK	Rail End Cap Touch-up Pen	XXXOVERENDCAP XXTOUCHUPPEN

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3).

Р	COMPONENT	DESCRIPTION	ITEM #	COLOR
	Rail & Square Composite Baluster Kit (includes Crown top rail, Universal bottom rail,	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRK WT0636SRK XX0836HRK XX0836SRK	WT, BK, VL
	iniciales Criwit lab fall, diniversal batalinfall, square composite ballusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails and balusters.	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRK XX0842HRK XX0842SRK	WT, BK, VL
	Rail & Round Aluminum Baluster Kit	6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRK XXRD0836HRK XXRD0836SRK	WT, BK, VL
	(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails. Round aluminum balusters come in BK.	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRK XXRD0842HRK XXRD0842SRK	WT, BK, VL




6' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0636HRKCKTL WTRD0836HRKCKTL WT 8' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0836SRKCKTL 8' x 36" Cocktail Rail & Baluster Kit—Stair

Dimensions are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)



XXCROWNTR06 XXCROWNTR08 6' Crown Top Rail 8' Crown Top Rail WT, BK, GP, RS, TH, VL XXUNIVTBR06 6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail XXUNIVTBR08

6' Universal Top/Bottom Rail	XXUNIVTBR06	WT, BK, GP,
8' Universal Top/Bottom Rail	XXUNIVTBR08	RS, TH, VL



BALUSTER	ORIENTATION	6' SECTION	8' SECTION
Square composite	Horizontal	13	18
	Stair	11	15
Round aluminum	Horizontal	15	20
	Stair	12	16

Square Composite Balusters for 36" Rail Height (16/pack)	XX020230SBK	WT, BK, GP,
Square Composite Balusters for 42" Rail Height (16/pack)	XX020236SBK	RS, TH, VL
Round Aluminum Balusters for 36" Rail Height (20/pack) Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA30RBK XXTA36RBK	WT, BZ, BK

Dimensions are nominals. See below for actuals and metrics.
6' Rail: 67.5 in (171 cm)
8' Rail: 91.5 in (232 cm)
Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 m
Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 n
Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm)
Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)

XX = COLOR PREFIX

Composite C	olors
-------------	-------

WT Classic White GP Gravel Path TH Tree House BK Charcoal Black RS Rope Swing VL Vintage Lantern Aluminum Colors

WT Classic White BZ Bronze

BK Charcoal Black

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR
5	Accessory Infill Kit (includes, baluster spacers,	6' Accessory Infill Kit for Square Composite Balusters—Horizontal 6' Accessory Infill Kit for Square Composite Balusters—Stair 8' Accessory Infill Kit for Square Composite Balusters—Horizontal 8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQHIK06 XXSQSIK06 XXSQHIK08 XXSQSIK08	WT, BK, GP, RS, TH, VL
	adjustable foot block and mounting hardware)	6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06	
	Dimensions are nominals. See below for actuals and metrics. 6': 67.5 in (171 cm)	6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06 XXRDHIK08 XXRDSIK08	WT, BK, GP, RS, TH, VL
	8': 91.5 in (232 cm)	6' Glass Panel Accessory Infill Kit	XXGLIK06	WT, BK, GP, RS, TH, VL

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
3 pt 2 management ()) []	Transcend Bracket Template—Horizontal (36" and 42") - Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET
10	Foot Block	XXFTBLKPC	O Degree Rail Gasket Pack—Horizontal O Degree Rail Gasket Pack—Stair 22.5 Degree Gasket Pack 45 Degree Birdsmouth Gasket Pack (for 4x4) 45 Degree Gasket Pack (for 6x6)	XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK

Trex Select® Railing

Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

COMPONENT	DESCRIPTION	ITEM #
Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	WTRD0636HSELK WTRD0636SSELK WTRD0836HSELK WTRD0836SSELK
block and hardware pack) Available in WT rails with aluminum balusters in BK.		
Dimensions are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK
ACCESSORIES	COMPONENT	ITEM #
		ENHZBKT ENSTBKT
Trex Select 8' Alumi	inum Rail Stiffener SEI	ALRAILSTIFFENER

XX = COLOR PREFIX

Composite Colors

WT Classic White GP Gravel Path BK Charcoal Black RS Rope Swing TH Tree House VL Vintage Lantern

Flat Post Cap Light

- » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead

» 2.5" x 2.5" LED Aluminum Post Cap Light



BKSQLEDCAP4X4C WTSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C

BKALCAPLED25

BZALCAPLED25

WTALCAPLED25

BKLAMPLEDC

WTLAMPLEDC

BZLAMPLEDC

ITEM #

Aluminum Post Cap Light

COMPONENT & DESCRIPTION

[2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts



Aluminum Deck Rail Light

- » LED Deck Rail Light [2.75 in (69 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub® Lead



[1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts

» 5.5 ft (1.67 m) Male LightHub® Lead



BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED

BKRISERLED4PKC

BZRISERLED4PKC

WTRISERLED4PKC

Aluminum Stair Riser Light

- » 4 LED Riser Lights [1.25 in (31 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub® Lead



RECESSLED4PKC

Recessed Deck Light

- » 4 LED Recessed Lights [1 in (25 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub® Lead





8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER

ITEM #

» Output Power: 100W or 30W


» Output Voltage: 12VDC

Transformer with Timer

- » Output Current: 8.3A or 2.5A » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub® Wire Extension Cable



» Single Channel with Remote



Forstner Bit

- » Pack of 6
- » 1 in (25 mm)

LightHub® Accessories

- » 3-Way Splitter
- » 6-Way Splitter

38

- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter



DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK

DL5TFSPLIT1PK

DLDIMMER

DLWiFiC

DLBIT6PK

Trex Aluminum ADA-Compliant Handrail

COMPONENT	ITEM #
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail Wall Return 90° Wall Mount Corner Mount Post Return ("Candy Cane") 5° Elbow 31° Elbow 34° Elbow 36° Elbow 90° Inside/Outside Elbow Adjustable ADA Elbow Straight 4 in (101 mm) Internal Connector Inline Rail Termination Adapter Rail End Cap	XXALADARAIL8 XXALADA90WR2G XXALADAWMNT2G XXALADAICORNER2G XXALADA180CCANE XXALADA05ELB XXALADA31ELB XXALADA34ELB XXALADA36ELB XXALADA36ELB XXALADA90ELB2G XXALADADJELB XXALADAOJELB XXALADAOJELB XXALADAOJELB XXALADAINLINE
Aluminum Collar	XXALADACLR

All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com/2022



1 36° Elbow





3 Aluminum Collar

5 Hand Rail



Trex Aluminum Gates

to wood post with

composite sleeve or aluminum posts

COMPONENT	DESCRIPTION	ITEM #
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE
	36" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX36RDADJGATE
Available in all aluminum	42" Rail Height, Square Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE
colors (WT, BZ and BK).	42" Rail Height, Round Balusters, Adjustable up to 48" wide opening	XX42RDADJGATE
When ordering, refer to prefix codes at the bottom	[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm)	
of this page.	Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	
Hardware Pack	2 Adjustable Self-Closing Hinges	BKGATEHW
Hardware for attachment	1 Locking Hasp With Keys	



Trex Hideaway® Hidden Fastening System

COMPONENT		DESCRIPTION	ITEM #
Universal Fastener (glass-filled nylon)	-	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Universal Starter Clip		400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Router Bit	-	Router Bit	ROUTBIT
Universal Fastener Installation Tool	*	Universal Fastener Installation Tool	ONESTEPTL

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black



original end-use purchaser ("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions and in accordance. Thelow with Trex's written instructions, Trex® product set forth in Table I below (the "Product") shall perform as follows:

Physical Integrity: The Product shall be free from material defects in workmanship and materials, and shall not split. splinter, rot or suffer structural damage from termites or fungal decay.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of (a) more than 5 Delta E (CIE) units for twentyfive years from the date of original purchase, and (b) more than 15 Delta E (CIE) units for the remainder of the Warranty Period if any

While the Product is designed to resist fading, no material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading under normal weather conditions and will not fade by more than the number of Delta E (CIE) units indicated

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew. Cleaning procedures are described in the Care & Cleaning Guide at www.trex.com.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in this stain resistance section of this Limited Warranty include abrasive compounds of acidic or basic pH, paints or stains. strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, bactericides, cement, concrete, mortar, stucco and colored chalk. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This Limited Warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Residential/Commercial Application: For purposes of this Limited Warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence

number of years set forth next to such Product in Table

Product	Residential Warranty Period	Commercial Warranty Period
Transcend® decking and fascia	50 Years	10 Years
Transcend® cladding	50 Years	25 Years
Select® decking and fascia, Universal fascia	35 Years	10 Years
Enhance® decking and fascia	25 Years	10 Years

Transferability: With respect to a residential application, this Limited Warranty may be transferred one (1) time. within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this Limited Warranty is freely transferable to subsequent buyers of the property upon which the Product was

EXCLUSIONS FROM WARRANTY COVERAGE

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and 1. If the Purchaser is making a claim relating to the Limited listed below. The materials may also be obtained on follows: Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser's specific

This Limited Warranty does not cover defects caused by:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275°F/135°C) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this Limited Warranty

Surface Damage: Never use metal shovels or sharpedged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this Limited Warranty will be voided.

Paint or Other Materials Applied to the Product: If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided

Trex Company, Inc. (hereinafter "Trex") warrants to the Term of Limited Warranty: The term of this Limited Other Exclusions: This Limited Warranty shall not cover Warranty for a Product (the "Warranty Period") begins on any condition attributable to: (1) improper installation of the date of original purchase and shall be equal to the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed: (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances other than food and beverages (such as dirt, grease, oil, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

> **Excluded Products:** This Warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex Transcend® railing, Trex Enhance® railing, Trex Select® railing, Trex Signature® railing, Trex Decklighting™ products, TrexTrim™ products, Trex® outdoor lighting products, Trex Hideaway® Fasteners, and Trex® fencing, which are excluded from this Limited Warranty. Each of these products has a separate Limited Warranty.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser

Cleaning Guides are available from Trex at the address Warranty on stain resistance, Purchaser must do as

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above (and provided in more detail in the Care & Cleaning Guide found at www.trex.com) within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this Limited Warranty, provided that such claim is made within thirty (30) days after the professional

2. To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect, proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above. to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605 3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the volume (linear feet) of defective material: or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below If Trex is providing replacement materials. it may elect to replace the percentage listed in Table II, below, of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period			
rear or Claim	50 Year	35 Year	25 Year	
11	90%	80%	80%	
12	90%	80%	80%	
13	90%	80%	80%	
14	90%	80%	60%	
15	90%	60%	60%	
16	90%	60%	60%	
17	70%	60%	40%	
18	70%	60%	40%	
19	70%	40%	40%	
20	70%	40%	20%	
21	70%	40%	20%	
22	70%	40%	20%	
23	50%	20%	10%	
24	50%	20%	10%	
25	50%	20%	10%	
26	50%	20%	-	
27	50%	20%	-	
28	50%	20%	-	
29	30%	10%	-	
30	30%	10%	-	
31	30%	10%	-	
32	30%	10%	-	
33	30%	10%	-	
34	30%	10%	-	
35	30%	10%	-	

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
36	20%	-	-
37	20%	-	-
38	20%	_	-
39	20%	_	-
40	20%	-	-
41	20%		-
42	20%		-
43	10%		-
44	10%		-
45	10%		-
46	10%		-
47	10%		-
48	10%	-	-
49	10%	-	-
50	10%	_	_

THE LIMITED WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES MADE BY TREX IN CONNECTION WITH THESE PRODUCTS. TREX DOES NOT MAKE ANY OTHER WARRANTIES, IMPLIED OR EXPRESS, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE. AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE, PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS. INCLUDING BUT NOT LIMITED TO LABOR AND **FREIGHT**

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING. BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE. LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES. WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT. IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE. EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE AS DESCRIBED ABOVE

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2023 Trex Company, Inc.



("Purchaser") that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in including but not limited to improper gapping; (2) use of Product beyond normal use accordance with Trex's written instructions. Trex® product set forth in Table I below (the and service conditions or in an application not recommended by Trex's guidelines and "Product") shall be free from material defects in workmanship and materials, and shall local building codes; (3) movement, distortion, collapse or settling of the ground or the not split, splinter, rot or suffer structural damage from termites or fungal decay.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence

Term of Limited Warranty: The term of this Limited Warranty for a Product (the "Warranty Period") begins on the date of original purchase and shall be equal to the number of tear. years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Signature® Railing	25 Years	25 Years
Transcend® Railing, Select® Railing, Enhance® Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years
DeckLighting™ (LEDs and Housings)	7 Years	7 Years
DeckLighting [™] (Transformer, Timer, Dimmer, WiFi Controller)	3 Years	3 Years

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five- (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) the warranty for Trex[®] DeckLighting[™] Products is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other DeckLighting™ parts or accessories not listed in Table I above shall not be warranted: (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to Trex decking products, Trex cladding products, Trex fascia products, and Trex fasteners (which each have separate warranties), and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other $\,\,$ TABLE II contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser's specific application.

Trex Company, Inc. (hereinafter "Trex") warrants to the original end-use purchaser Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines, supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; or (7) ordinary wear and

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. **Customer Relations** 160 Exeter Drive Winchester, VA 22603-8605

Upon confirmation by an authorized Trex representative of a valid claim hereunder Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time

THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below. of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

Year of Claim	Recovery
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

THE LIMITED WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES MADE BY TREX IN CONNECTION WITH THESE PRODUCTS. TREX DOES NOT MAKE ANY OTHER WARRANTIES, IMPLIED OR EXPRESS, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE AS DESCRIBED ABOVE PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.


THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES INCLUDING BUT NOT LIMITED TO LOST PROFITS LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES. OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES. WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2023 Trex Company, Inc.





Engineering What's Next in Outdoor Living®

DECKING | RAILING | LIGHTING | FASCIA | KITCHENS | FURNITURE | PERGOLA | DRAINAGE SPIRAL STAIRS | CORNHOLE | LATTICE | CLADDING | HIDDEN FASTENERS | FENCING

Visit trex.com or call 1-800-BUY-TREX

FIND US ON



Front Cover: Photos @ 2022 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All rights reserved.

© 2023 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Lineage™, Trex Signature®, Trex® OutdoorLighting™, Trex Hideaway®, Trex® Pergola™, Trex® Outdoor Kitchen™, Trex® RainEscape®, Trex® Outdoor Furniture™, Trex® Cladding™, Trex® Fascia, Trex® Spiral Stairs™, Trex® Protect™, Trex® Cornhole™, Trex® Lattice™ and Trex® Fencing are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.

0123 XXDLTBR02023