



 **JamesHardie™**

Siding | Trim



Achieve authentic character and
UNCOMPROMISING PERFORMANCE.

NORTH GEORGIA
Product Catalog



It's time to
BUILD SOMETHING TIMELESS.



Installed on over 8 million homes* from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while delivering long term beauty and lower maintenance. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

**UNIQUE
FORMULATION**

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

**FINISHING
TECHNOLOGY**

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

**COMPLETE
EXTERIOR**

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

CONTENTS

| | |
|----|---------------------------------|
| 4 | HardieZone® System |
| 6 | Unique Formulation |
| 8 | Finishing Technology |
| 10 | James Hardie Complete Exterior™ |
| 12 | HardiePlank® Lap Siding |
| 14 | HardiePanel® Vertical Siding |
| 16 | HardieShingle® Siding |
| 18 | HardieTrim® Boards |
| 20 | HardieSoffit® Panels |
| 22 | Statement Collection™ Products |
| 24 | Color Inspiration |
| 26 | HardieWrap® Weather Barrier |
| 27 | Finishing Touches |
| 28 | The James Hardie Difference |
| 30 | Warranty and Endorsements |

HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS



TOUGHER THAN THE ELEMENTS



Stands up to storms and harsh weather



Water resistant to protect against swelling, warping and cracking



Won't be eaten by animals or insects



Fire resistant



Helps reduce time and money spent on maintenance

Unique Formulation

HZ10® Substrate


Not all fiber cement is the same. James Hardie HZ10 products contain the highest quality raw materials. Our unique formulation, combined with innovative product design and manufacturing processes, create a substrate that is specifically engineered to resist moisture, cracking, shrinking and swelling for increased durability and workability.

PROPRIETARY ENHANCEMENTS CREATE DURABLE JAMES HARDIE® SIDING



Perfect balance of strength and workability

Our unique formulations and proprietary manufacturing process combine to deliver the best combination of strength and workability.



Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the substrate matrix to provide durable moisture resistance.



Dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with exceptional dimensional stability that helps protect against shrinking and splitting.

Integrity is ingrained
IN EVERYTHING WE DO.



MADE IN THE
USA



UNMATCHED INVESTMENT IN MANUFACTURING SCALE AND PRODUCT INNOVATION

- Largest manufacturer of fiber cement in North America
- 5x more capacity than our largest competitor
- More than 100 process and product quality checks
- 100+ scientists and engineers provide dedicated resources for continuous innovation in manufacturing and product development
- More U.S. fiber cement patents than any competitor

Finishing Technology

Primer

A quality primer is the first step to ensuring that the paint color you select beautifully expresses a home's true character now – and for years to come. Our distinctive primers are climate-tested and engineered to enhance the performance of paint on James Hardie® fiber cement siding products. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.

ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance. Our products aren't simply painted at the factory. Our proprietary coatings are baked onto the board, creating a vibrant, consistent finish that performs better, lasts longer and looks brighter on your homes.




Exceptional finish adhesion

Our proprietary coating is applied to the surface and edges of our boards for durable performance.



Superior color retention

Our ColorPlus finish is baked onto James Hardie® products, enhancing resistance to peeling and chipping.



Superior UV resistance

ColorPlus finishes retain vibrancy longer when compared to vinyl siding and typical field paints on other siding products.



For timeless beauty
BEGIN WITH THE FINISH.

ColorPlus®
Technology

Our finishes help eliminate stress and reduce costly weather delays when it's too cold or damp to paint for extended periods. Now there's no reason to question whether or not sub-optimal painting conditions will negatively affect your paint job. In fact, there's no longer any need to paint on-site during installation.

ColorPlus® Technology finishes are fully cured in a controlled environment and arrive on your job site ready for year-round installation.



James Hardie Complete Exterior™

Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.

ColorPlus®
Technology
Pearl Gray

ColorPlus®
Technology
Iron Gray

HardieShingle®
Siding*

HardieSoffit®
Panels*

HardiePanel®
Vertical Siding &
HardieTrim®
Batten Boards

HardiePlank®
Lap Siding

HardieTrim®
Boards

For complete confidence wrap your
ENTIRE EXTERIOR WITH JAMES HARDIE.

Sleek and strong, HardiePlank® lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.



A classic look for
THE HOME OF THEIR DREAMS.

HardiePlank®

Thickness 5/16 in
Length 12 ft planks


| SELECT CEDARMILL® & SMOOTH | | | | | | |
|----------------------------|---------|---------|---------|---------|---------|----------|
| Width | 5.25 in | 6.25 in | 7.25 in | 8.25 in | 9.25 in | 12 in |
| Exposure | 4 in | 5 in | 6 in | 7 in | 8 in | 10.75 in |
| Prime Pcs/Pallet | 360 | 308 | 252 | 230 | 190 | 152 |
| ColorPlus Pcs/Pallet | 324 | 280 | 252 | 210 | — | — |
| Pcs/Sq | 25.0 | 20.0 | 16.7 | 14.3 | 12.5 | 9.3 |

SELECT CEDARMILL®



| SELECT CEDARMILL® | | | | | | |
|-----------------------|---------|---------|---------|---------|---------|-------|
| Width | 5.25 in | 6.25 in | 7.25 in | 8.25 in | 9.25 in | 12 in |
| STATEMENT COLLECTION™ | | | | ✓ | | |
| DREAM COLLECTION™ | ✓ | ✓ | ✓ | ✓ | | |
| PRIME | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

SMOOTH




| SMOOTH | | | | | | |
|-----------------------|---------|---------|---------|---------|---------|-------|
| Width | 5.25 in | 6.25 in | 7.25 in | 8.25 in | 9.25 in | 12 in |
| STATEMENT COLLECTION™ | | | | ✓ | | |
| DREAM COLLECTION™ | ✓ | ✓ | ✓ | ✓ | | |
| PRIME | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

BEADED CEDARMILL®



BEADED SMOOTH



BEADED CEDARMILL® & BEADED SMOOTH

| | | |
|----------------------|---------|-----------------------|
| Width | 8.25 in | |
| Exposure | 7 in | |
| Prime Pcs/Pallet | 240 | STATEMENT COLLECTION™ |
| ColorPlus Pcs/Pallet | 210 | DREAM COLLECTION™ ✓ |
| Pcs/Sq | 14.3 | PRIME ✓ |

CUSTOM COLONIAL ROUGHSAWN®



CUSTOM COLONIAL SMOOTH®



CUSTOM COLONIAL ROUGHSAWN® & CUSTOM COLONIAL SMOOTH®

| | | |
|----------------------|---------|-----------------------|
| Width | 8 in | |
| Exposure | 6.75 in | |
| Prime Pcs/Pallet | 240 | STATEMENT COLLECTION™ |
| ColorPlus Pcs/Pallet | 216 | DREAM COLLECTION™ ✓ |
| Pcs/Sq | 14.9 | PRIME ✓ |

HardiePanel® vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.



True to the tradition of
PERFORMANCE AND BEAUTY.

Thickness 5/16 in

SELECT CEDARMILL®, SMOOTH, STUCCO & SIERRA 8

| | Size 4 ft x 8 ft | 4 ft x 9 ft | 4 ft x 10 ft |
|----------------------|------------------|-------------|--------------|
| Prime Pcs/Pallet | 50 | 50 | 50 |
| ColorPlus Pcs/Pallet | 50 | – | 50 |
| Pcs/Sq | 3.2 | 2.8 | 2.5 |

SELECT CEDARMILL®



| | Size 4 ft x 8 ft | 4 ft x 9 ft | 4 ft x 10 ft |
|-----------------------|------------------|-------------|--------------|
| STATEMENT COLLECTION™ | | | |
| DREAM COLLECTION™ | ✓ | | ✓ |
| PRIME | ✓ | ✓ | ✓ |

SMOOTH



| | Size 4 ft x 8 ft | 4 ft x 9 ft | 4 ft x 10 ft |
|-----------------------|------------------|-------------|--------------|
| STATEMENT COLLECTION™ | | | ✓ |
| DREAM COLLECTION™ | ✓ | | ✓ |
| PRIME | ✓ | ✓ | ✓ |

STUCCO



| | Size 4 ft x 8 ft | 4 ft x 9 ft | 4 ft x 10 ft |
|-----------------------|------------------|-------------|--------------|
| STATEMENT COLLECTION™ | | | |
| DREAM COLLECTION™ | ✓ | | ✓ |
| PRIME | ✓ | ✓ | ✓ |

SIERRA 8




| | Size 4 ft x 8 ft | 4 ft x 9 ft | 4 ft x 10 ft |
|-----------------------|------------------|-------------|--------------|
| STATEMENT COLLECTION™ | | | |
| DREAM COLLECTION™ | | | |
| PRIME | ✓ | ✓ | ✓ |

Achieve the handcrafted LOOK OF CEDAR.

Restore the look of a grand Cape Cod or add distinction to a handsome bungalow. HardieShingle® siding embodies the enchanting look of cedar shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.



HardieShingle®
Staggered
Edge Panel
Monterey Taupe

HardieTrim®
board
Arctic White

Thickness 1/4 in



STAGGERED EDGE PANEL

| | |
|----------------------|----------|
| Length | 48 in |
| Height | 15.25 in |
| Exposure | 6 in |
| Prime Pcs/Pallet | 100 |
| ColorPlus Pcs/Pallet | 100 |
| Sq/Pallet | 2 |
| Pcs/Sq | 50.0 |

STATEMENT COLLECTION™

DREAM COLLECTION™ ✓

PRIME ✓



STRAIGHT EDGE PANEL

| | |
|----------------------|----------|
| Length | 48 in |
| Height | 15.25 in |
| Exposure | 7 in |
| Prime Pcs/Pallet | 86 |
| ColorPlus Pcs/Pallet | 86 |
| Sq/Pallet | 2 |
| Pcs/Sq | 43.0 |

STATEMENT COLLECTION™

DREAM COLLECTION™ ✓

PRIME ✓



INDIVIDUAL SHINGLES

| | |
|------------------|---------------------------------|
| Length | 4.2in 5.5in 6.75in 7.25in 10 in |
| Height | 15.25 in |
| Exposure | 7 in |
| Prime Pcs/Pallet | 630 |
| Sq/Pallet | 2 |
| Pcs/Sq | 315.0 |

STATEMENT COLLECTION™

DREAM COLLECTION™

PRIME ✓



HALF ROUNDS

| | |
|------------------|----------|
| Length | 48 in |
| Height | 15.25 in |
| Exposure | 7 in |
| Prime Pcs/Pallet | 86 |
| Sq/Pallet | 2 |
| Pcs/Sq | 43.0 |

STATEMENT COLLECTION™

DREAM COLLECTION™

PRIME ✓

Form meets function at every angle with HardieTrim® boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Better than wood, it will complement your long-lasting, lower maintenance James Hardie® siding – adding punctuation to your design statement.



The performance you require
THE DISTINCTIVENESS YOU DESIRE.


HardieTrim®

Length 12 ft boards

RUSTIC GRAIN®



SMOOTH



4/4 RUSTIC GRAIN®

| | | | | | | |
|----------------------|---------|--------|--------|---------|---------|----------|
| Thickness | .75 in | | | | | |
| Width | 1.65 in | 3.5 in | 5.5 in | 7.25 in | 9.25 in | 11.25 in |
| Prime Pcs/Pallet | 405 | 322 | 184 | 138 | 115 | 92 |
| ColorPlus Pcs/Pallet | – | 322 | 184 | 138 | 115 | 92 |

STATEMENT COLLECTION™

DREAM COLLECTION™

PRIME

| | | | | | |
|---|---|---|---|---|---|
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

4/4 SMOOTH

| | | | | | | |
|----------------------|---------|--------|--------|---------|---------|----------|
| Thickness | .75 in | | | | | |
| Width | 1.65 in | 3.5 in | 5.5 in | 7.25 in | 9.25 in | 11.25 in |
| Prime Pcs/Pallet | 405 | 322 | 184 | 138 | 115 | 92 |
| ColorPlus Pcs/Pallet | – | 322 | 184 | 138 | 115 | 92 |

STATEMENT COLLECTION™

DREAM COLLECTION™

PRIME

| | | | | | |
|---|---|---|---|---|---|
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

5/4 RUSTIC GRAIN®

| | | | | | |
|----------------------|--------|--------|---------|---------|----------|
| Thickness | 1 in | | | | |
| Width | 3.5 in | 5.5 in | 7.25 in | 9.25 in | 11.25 in |
| Prime Pcs/Pallet | 238 | 136 | 102 | 85 | 68 |
| ColorPlus Pcs/Pallet | 238 | 160 | 120 | 100 | 80 |

STATEMENT COLLECTION™

DREAM COLLECTION™

PRIME

| | | | | |
|---|---|---|---|---|
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |

5/4 SMOOTH

| | | | | | |
|----------------------|--------|--------|---------|---------|----------|
| Thickness | 1 in | | | | |
| Width | 3.5 in | 5.5 in | 7.25 in | 9.25 in | 11.25 in |
| Prime Pcs/Pallet | 238 | 136 | 102 | 85 | 68 |
| ColorPlus Pcs/Pallet | 238 | 160 | 120 | 100 | 80 |

STATEMENT COLLECTION™

DREAM COLLECTION™


PRIME

| | | | | |
|---|---|---|---|---|
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |

BATTEN BOARDS

| | |
|----------------------|--------|
| Thickness | .75 in |
| Width | 2.5 in |
| Prime Pcs/Pallet | 190 |
| ColorPlus Pcs/Pallet | 437 |

SMOOTH



| | |
|-----------------------|---|
| STATEMENT COLLECTION™ | ✓ |
| DREAM COLLECTION™ | ✓ |
| PRIME | ✓ |

RUSTIC GRAIN®



| | |
|-----------------------|---|
| STATEMENT COLLECTION™ | ✓ |
| DREAM COLLECTION™ | ✓ |
| PRIME | ✓ |

A home is only as strong as its weakest point. HardieSoffit® panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.


Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and help protect it from moisture and pests.

VENTILATION BENEFITS

Using vented soffit improves ventilation in the attic space and reduces the chance of water vapor condensation that can lead to issues such as mold and mildew growth, stained ceilings and damage to the framing of the house.

In warm climates, HardieSoffit panels allow hot, humid air to escape, which not only helps prevent condensation in the attic, but can also help reduce air conditioning costs.

In cool climates, HardieSoffit panels help prevent condensation from forming on the interior side of the roof sheathing and reduce the chances of roof-damaging ice dams.



For complete confidence
EVERY DETAIL MATTERS.

HardieSoffit®

Thickness 1/4 in


VENTED SMOOTH



VENTED CEDARMILL®




NON-VENTED SMOOTH



NON-VENTED CEDARMILL®



BEADED PORCH PANEL



VENTED SMOOTH & CEDARMILL®

| | | | |
|----------------------|-------|-------|-------|
| Length | 12 ft | 12 ft | 8 ft |
| Width | 12 in | 16 in | 24 in |
| Prime Pcs/Pallet | 200 | 150 | 100 |
| ColorPlus Pcs/Pallet | | | |

| | | | |
|-----------------------|---------------|---------------|--------------|
| Size | 12 ft x 12 in | 12 ft x 16 in | 8 ft x 24 in |
| STATEMENT COLLECTION™ | ✓ | ✓ | ✓ |
| DREAM COLLECTION™ | ✓ | ✓ | ✓ |
| PRIME | ✓ | ✓ | ✓ |

| | | | |
|-----------------------|---------------|---------------|--------------|
| Size | 12 ft x 12 in | 12 ft x 16 in | 8 ft x 24 in |
| STATEMENT COLLECTION™ | | | |
| DREAM COLLECTION™ | ✓ | ✓ | ✓ |
| PRIME | ✓ | ✓ | ✓ |

NON-VENTED SMOOTH & CEDARMILL®

| | | | | |
|----------------------|-------|-------|-------|-------|
| Length | 12 ft | 12 ft | 8 ft | 8 ft |
| Width | 12 in | 16 in | 24 in | 48 in |
| Prime Pcs/Pallet | 200 | 150 | 100 | 50 |
| ColorPlus Pcs/Pallet | 216 | 156 | 108 | — |

| | | | | |
|-----------------------|---------------|---------------|--------------|--------------|
| Size | 12 ft x 12 in | 12 ft x 16 in | 8 ft x 24 in | 8 ft x 48 in |
| STATEMENT COLLECTION™ | ✓ | ✓ | ✓ | |
| DREAM COLLECTION™ | ✓ | ✓ | ✓ | |
| PRIME | ✓ | ✓ | ✓ | ✓ |

| | | | | |
|-----------------------|---------------|---------------|--------------|--------------|
| Size | 12 ft x 12 in | 12 ft x 16 in | 8 ft x 24 in | 8 ft x 48 in |
| STATEMENT COLLECTION™ | | | | |
| DREAM COLLECTION™ | ✓ | ✓ | ✓ | |
| PRIME | ✓ | ✓ | ✓ | ✓ |


BEADED PORCH PANEL

| | | | |
|----------------------|--------|-----------------------|---|
| Thickness | 1/4 in | STATEMENT COLLECTION™ | |
| Length | 8 ft | DREAM COLLECTION™ | ✓ |
| Width | 48 in | PRIME | ✓ |
| Prime Pcs/Pallet | 50 | | |
| ColorPlus Pcs/Pallet | 50 | | |

Make your next home stand out with our *Statement Collection™* products. Carefully curated by our design experts specifically for your market, the collection brings together the most popular James Hardie ColorPlus® siding and trim styles, textures, and colors. This stunning selection is locally stocked and designed for simplicity - making it easier than ever to get a beautiful, long-lasting home exterior.

ColorPlus® Technology

Plank, Panel and Batten Color Offering



Trim and Soffit Color Offering



Selecting a color? Request a product sample at jameshardiepros.com/samples

Colors shown are as accurate as printing methods will permit. Please see actual product sample for true color.

HardiePlank®

SELECT CEDARMILL®
Width 8.25 in (7 in exposure)




SMOOTH
Width 8.25 in (7 in exposure)



HardiePanel®


SMOOTH
Size 4 ft x 10 ft



HardieSoffit®



VENTED SMOOTH
Size 12 ft x 12 in
12 ft x 16 in
8 ft x 24 in



NON-VENTED SMOOTH
Size 12 ft x 12 in
12 ft x 16 in
8 ft x 24 in

HardieTrim®

SMOOTH




4/4 BOARDS

Thickness .75 in
Length 12 ft boards
Width 3.5 in 5.5 in 7.25 in 9.25 in 11.25 in

5/4 BOARDS

Thickness 1 in
Length 12 ft boards
Width 3.5 in 5.5 in 7.25 in 9.25 in 11.25 in

BATTEN BOARDS



4/4 SMOOTH

Thickness .75 in
Length 12 ft boards
Width 2.5 in

Get Inspired


SIMPLE LIVING

LIGHT COLORS

Whites and soft pastels are pure, clean, new and bright. Combine with other hues to add interest, personality and contrast. Works well on houses with Colonial Inspiration. A pastel A-frame cottage can look sweet and charming.



Arctic White



Navajo Beige




Cobble Stone




LIVE WITH SOPHISTICATION

NEUTRAL COLORS

Neutral rules the suburbs. These shades are safe, but also sophisticated. When accessorized with black or a darker color, a neutral can look fashionably stylish. Play with textures and use different tones for trim.



Iron Gray



Evening Blue



Night Gray

LIVE YOUR TRUE COLORS

DARK COLORS

Dark grays, blues and greens can feel both intellectual and modern. When used with white trim, they create drama. Works well in old neighborhoods, or urban environments, where there is a mix of old and new.



Khaki Brown



Monterey Taupe



Timber Bark



DREAM COLLECTION™

Looking to further express your sense of style? Look to our *Dream Collection™* products.

- Featuring a color palette of over 700 ColorPlus® Technology finishes
- Made to order in a wide array of James Hardie® siding and trim styles
- Matches elevated design flexibility with the uncompromising performance of our fiber cement products

See what's possible at jameshardiepros.com/dream



We've got performance covered
FROM THE INSIDE OUT.

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify



WEATHER BARRIER

| | | | | |
|-----------|--------|--------|--------|--------|
| Thickness | 11 mil | | | |
| Length | 100 ft | 100 ft | 150 ft | 150 ft |
| Width | 3 ft | 9 ft | 9 ft | 10 ft |

FLEX FLASHING

| | | |
|-----------|--------|-------|
| Thickness | 60 mil | |
| Length | 75 ft | 75 ft |
| Width | 6 in | 9 in |

PRO-FLASHING

| | | | |
|-----------|--------|-------|-------|
| Thickness | 20 mil | | |
| Length | 75 ft | 75 ft | 75 ft |
| Width | 4 in | 6 in | 9 in |

SEAM TAPE

| | |
|-----------|----------|
| Thickness | 3.2 mil |
| Length | 164 ft |
| Width | 1-7/8 in |




To learn more about our weather barrier's advantages, visit jameshardiepros.com

Install Done Right

Installation Accessories

HARDIEBLADE® SAW BLADES

Manufactured by Diablo, the HardieBlade® saw blade is designed specifically to cut fiber cement products, and is the only saw blade James Hardie recommends. The blade creates clean, precise cuts while helping to reduce the amount of airborne dust produced. Specially designed to outlast other fiber cement saw blades by 3X, outlasting carbide blades by 60X.



PACTOOL® GECKO GAUGE

The PacTool® Gecko Gauge is designed to improve the installation experience, allowing one person to hang HardiePlank® lap siding during installation. Studies suggest the Gecko Gauge can improve the speed of solo installation by 30%.



Finishing Touches

ColorPlus® Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our touch-up kits offer resistance to aging, color change and chalking. Estimated one kit per 4000 sq ft of siding or 1600 sq ft of trim.



COLOR MATCHED CAULK

OSI® QUAD® MAX sealant offers a high performance sealant solution to color match Statement Collection™ products.* About 18-20 linear feet per tube. Refer to packaging for manufacturer's recommendations.

**For matching Dream Collection products, contact your local James Hardie representative.*

Trim Accessories

FLAT TABS

Eliminate face nails and improve the aesthetic of trim applications around windows, doors and band boards.

CORNER TABS

Use corner tabs to eliminate face nail holes that would detract from the finished look of corner trim installations.



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit jameshardiepros.com

See the James
Hardie Difference



James Hardie invented fiber cement. Over 8 million homes* later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our employees, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.



HardieTrim®
boards
Arctic White

HardiePlank®
Select Cedarmill®
Timber Bark


As unforgettable
AS IT IS UNCOMPROMISING.

Warranty

Protect your homes with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding and trim warranty coverage. We stand behind our siding 100% for 30 years and trim for 15 years.

ColorPlus® Technology finishes come with a 15-year limited warranty.

James Hardie Non-Prorated Siding Substrate Warranty Coverage



Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.



Listed as top building materials and products by **Professional Builder 2018**



Chosen by builders as a **Brand Leader in Builder magazine** for over 20 years



HardiePlank® lap siding is backed by the **Good Housekeeping Seal**



Make every home
AN EXPRESSION OF YOUR CHARACTER.



1.888.542.7343 | jameshardiepros.com

© 2019 James Hardie Building Products Inc. All Rights Reserved. TM, SM, and © denote trademarks or registered trademarks of James Hardie Technology Limited. OSI and QUAD are trademarks of Henkel Corporation. HS19456 12/19

 **JamesHardie™**
Siding | Trim